Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03 2016

R

evision: October 03 2016

nting date: October				
Identification				
Product identif	ier			
• Trade name: Late • Product code: A-		ence Pad - Sebaceous Oil	Secretions	
 Recommended u Recommended u Restrictions on u 	ise: Forensics.	ion on use nufacturer/supplier		
• Details of the s • Manufacturer/Su Safariland, LLC 13386 Internation Jacksonville, FL 3 Customer Care (8	pplier: al Parkway 2218 00) 347-1200	Safety Data Sheet Distributor: Arrowhead Forensics 11030 Strang Line Road Lenexa, KS 66215 (913) 894-8388; www.arro	owheadforensics	
ChemTel Inc.				ARROWHEAD FORENSICS
(800)255-3924, + Hazard(s) ider Classification c Eye Irrit. 2A H319	ntification	ce or mixture		
Hazard(s) ider Classification c Eye Irrit. 2A H319 Label elements GHS label eleme	ntification of the substan O Causes seriou nts	ce or mixture Is eye irritation.	v Harmonized S	vstem (GHS).
Hazard(s) ider Classification c Eye Irrit. 2A H319 Label elements GHS label eleme	Tification of the substan O Causes seriou nts ssified and label	ce or mixture	y Harmonized S	ystem (GHS).
Hazard(s) ider Classification c Eye Irrit. 2A H319 Label elements GHS label eleme The product is cla	Tification of the substan O Causes seriou nts ssified and label	ce or mixture Is eye irritation.	y Harmonized S	ystem (GHS).
Hazard(s) ider Classification c Eye Irrit. 2A H319 Label elements GHS label eleme The product is cla	Tification of the substan O Causes seriou nts ssified and label	ce or mixture Is eye irritation.	y Harmonized S	ystem (GHS).
Hazard(s) ider Classification of Eye Irrit. 2A H319 Label elements GHS label eleme The product is cla Hazard pictograr GHS07 Signal word: Wa Hazard statemen	ntification of the substan O Causes seriou nts ssified and label ns: rning nts:	ce or mixture is eye irritation. led according to the Globall	y Harmonized S	ystem (GHS).
Hazard(s) ider Classification of Eye Irrit. 2A H319 Label elements GHS label eleme The product is cla Hazard pictograr GHS07 Signal word: Wa Hazard statemen H319 Causes seri Precautionary st	ntification of the substan O Causes seriou nts ssified and label ns: rning nts: ious eye irritatior atements:	ce or mixture is eye irritation. led according to the Globall	y Harmonized S	ystem (GHS).
Hazard(s) ider Classification of Eye Irrit. 2A H319 Label elements GHS label eleme The product is cla Hazard pictograr GHS07 Signal word: Wa Hazard statemen H319 Causes seri Precautionary st P264	ntification of the substan O Causes seriou nts ssified and label ns: rning nts: ious eye irritation atements: Wash thorough	ce or mixture is eye irritation. led according to the Globally n.		ystem (GHS).
Hazard(s) ider Classification of Eye Irrit. 2A H319 Label elements GHS label eleme The product is cla Hazard pictograr GHS07 Signal word: Wa Hazard statement H319 Causes seri Precautionary st P264 P280	ntification of the substan O Causes seriou nts ssified and label ns: rning nts: ious eye irritation atements: Wash thorough Wear protective	ce or mixture is eye irritation. led according to the Globally n. hly after handling. e gloves and eye protection		
Hazard(s) ider Classification of Eye Irrit. 2A H319 Label elements GHS label eleme The product is cla Hazard pictograr GHS07 Signal word: Wa Hazard statement H319 Causes seri Precautionary st P264 P280	ntification of the substan O Causes seriou nts ssified and label ns: rning nts: fous eye irritation atements: Wash thorough Wear protective 3 If in eyes: Rins	ce or mixture is eye irritation. led according to the Globally n.		

(Cont'd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016

Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

122-99-6	2-phenoxyethanol	Acute Tox. 4, H302; Eye Irrit. 2A, H319	40-60%
8001-26-1	Linseed oil		40-60%

• Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Irritant to eyes.

Gastric or intestinal disorders when ingested.

· Danger: May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Foam Fire-extinguishing powder Carbon dioxide Gaseous extinguishing agents

Water fog / haze

• For safety reasons unsuitable extinguishing agents:

Water stream.

Water spray

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016

Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 2)

• Special hazards arising from the substance or mixture Rags, steel wool, or waste soaked with product may spontaneously ignite if improperly handled or discarded.

Formation of toxic gases is possible during heating or in case of fire.

• Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information: Cool endangered containers with water fog.

6 Accidental release measures

[.] Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

For large spills, wear protective clothing.

Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Dispose unusable material as waste according to item 13.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Use only in well ventilated areas.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

• Storage

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

• Further information about storage conditions: Keep containers tightly sealed.

(Cont'd. on page 4)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016

Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 3)

• Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

· Control parar	neters
· Components w	vith limit values that require monitoring at the workplace:
122-99-6 2-phe	noxyethanol
EV (Canada)	Long-term value: 141 mg/m ³ , 25 ppm
8001-26-1 Lins	eed oil
OEL (Canada)	Short-term value: 10* 3** mg/m³ *Mist **Respirable mist
TWA (Canada)	Short-term value: 10* 3** mg/m³ *Mist **Respirable mist
General protect The usual protect Keep away from Immediately rer Wash hands be Engineering co Breathing equi Protection of h Eye protection Safety Follow relevant Body protection	Active equipment: Active and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. In ove all soiled and contaminated clothing. fore breaks and at the end of work. Controls: No relevant information available. Inpment: Not required under normal conditions of use. Inands: Protection may be required for spills.

Information on basic physical	and chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016

Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

		(Cont'd. of page
· Boiling point/Boiling range:	>200 °C (>392 °F)	
· Flash point:	>94 °C (>201 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	>260 °C (>500 °F)	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits Lower: Upper: Oxidizing properties: 	Not determined. Not determined. Not determined.	
· Vapor pressure:	Not determined.	
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water)	: Not determined.	
 Viscosity Dynamic: Kinematic: Other information 	Not determined. Not determined. No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• Possibility of hazardous reactions:

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid: No relevant information available.

· Incompatible materials: No relevant information available.

· Hazardous decomposition products:

Under fire conditions only: Carbon monoxide and carbon dioxide

(Cont'd. on page 6)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016

ſ

Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 5)

 Information on Acute toxicity: 	toxicological effects	
•	that are relevant for classification:	
ATE (Acute Tox		
•	221 mg/kg (rat)	
	312 mg/kg (rabbit)	
122-99-6 2-phen		
	260 mg/kg (rat)	
	000 mg/kg (rabbit)	
Primary irritant		
• On the eye: Irrita	sed on available data, the classification criteria are not met.	
	ased on available data, the classification criteria are not met.	
	nal Agency for Research on Cancer):	
None of the ingre		
•	oxicology Program):	
None of the ingre		
OSHA-Ca (Occu	pational Safety & Health Administration):	
None of the ingre		
· Probable route(s) of exposure:	
Ingestion.		
Inhalation.		
Eye contact.		
Skin contact.		
Irritating to eyes.	cute toxicity, irritation and corrosivity):	
May be harmful if	f swallowed	
	toxicity: No relevant information available.	
	rcinogenity, mutagenicity and toxicity for reproduction)	
	genicity: Based on available data, the classification criteria are not met.	
	Based on available data, the classification criteria are not met.	
	xicity: Based on available data, the classification criteria are not met.	
	cosure: Based on available data, the classification criteria are not met.	
STOT-repeated	exposure: Based on available data, the classification criteria are not met.	

12 Ecological information

• **Toxicity** • **Aquatic toxicity** No relevant information available.

Persistence and degradability No relevant information available.

(Cont'd. on page 7)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016

Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 6)

· **Bioaccumulative potential:** No relevant information available.

• Mobility in soil: No relevant information available.

· Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

[·] Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

· Other adverse effects: No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
[·] UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.	

(Cont'd. on page 8)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016

Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions

(Cont'd. of page 7)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or
mixture · United States (USA)
· SARA
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 355 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
122-99-6 2-phenoxyethanol
TSCA (Toxic Substances Control Act)
All ingredients are listed.
· Proposition 65 (California)
· Chemicals known to cause cancer:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
· Carcinogenic categories
EPA (Environmental Protection Agency):
None of the ingredients are listed.
· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health):
None of the ingredients are listed.
· Canadian Domestic Substances List (DSL):
All ingredients are listed.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 10/03/2016 / -

(Cont'd. on page 9)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: October 03, 2016

Revision: October 03, 2016

Trade name: Latent Print Reference Pad - Sebaceous Oil Secretions (Cont'd. of page 8) · Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com