

Page 1/8

Safety data sheet According to1907/2006\EEC

Identificati	ion of the substance	/mixture and of the company/und	lertaking
, i i i i i i i i i i i i i i i i i i i	tifier: A-3125SPRW	in of the company and	
Trade name:	U Contraction of the second se		
Relevant ider		0, 02087 I nce or mixture and uses advised agains I xture Detection of finger prints	t Forensic Field Test
	e supplier of the safety d	ata sheet	
Manufacture		Manufactured for/	
Mistral Secur		Arrowhead Forensi	
	ont Ave , Ste 820		Road, Lenexa, KS 66215
<i>Tel:</i> (301) 91		<i>Tel: (913) 894-8388</i>	
Fax: (301) 9		Fax: (913) 894-839	9
Further info	rmation obtainable from	a: Product safety department.	
Hazards id	lentification		
	n of the substance or mis	xture	
	n of the substance of his		
fla	me		
Aerosol 1			
	ITTTT ITTTT L'atterne	flammable general Dreagunized contains	Man hungt if heated
	H222-H229 Extremely	flammable aerosol. Pressurised containe	r: May burst if heated.
		flammable aerosol. Pressurised containe rmful if inhaled.	r: May burst if heated.
Acute Tox. 5	H333 May be har		r: May burst if heated.
Acute Tox. 5 Label elemen	H333 May be han	rmful if inhaled.	r: May burst if heated.
Acute Tox. 5 Label elemer Labelling acc	H333 May be har nts cording to regulation (EC	rmful if inhaled.	er: May burst if heated.
Acute Tox. 5 Label elemer Labelling acc Hazard picto	H333 May be har nts cording to regulation (EC grams : GHS02	rmful if inhaled.	r: May burst if heated.
Acute Tox. 5 Label elemer Labelling acc Hazard picto Signal word:	H333 May be har nts cording to regulation (EC grams : GHS02 Danger	rmful if inhaled.	r: May burst if heated.
Acute Tox. 5 Label elemer Labelling acc Hazard picto Signal word: Hazard stater	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229	rmful if inhaled.	r: May burst if heated.
Acute Tox. 5 Label elemer Labelling acc Hazard picto Signal word: Hazard stater Precautionar	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements:	rmful if inhaled. C) No 1272/2008:	r: May burst if heated.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102,	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229	rmful if inhaled. C) No 1272/2008:	r: May burst if heated.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211	rmful if inhaled. C) No 1272/2008:	r: May burst if heated.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412 Labelling of J	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the conte	rmful if inhaled. C) No 1272/2008:	r: May burst if heated.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412 Labelling of p As written ab	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 ry statements: P103, P210, P251, P211 packages where the conte pove.	rmful if inhaled. C) No 1272/2008:	r: May burst if heated.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionan P101, P102, P410+P412 Labelling of J As written ab GHS label el	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 ry statements: P103, P210, P251, P211 packages where the conte pove. lements	rmful if inhaled. C) No 1272/2008:	
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionan P101, P102, P410+P412 Labelling of As written ab GHS label el The product of Hazard picto	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 ry statements: P103, P210, P251, P211 packages where the conte vove. lements is classified and labelled ograms GHS02	rmful if inhaled. C) No 1272/2008: ', ents do not exceed 125 ml:	
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionan P101, P102, P410+P412 Labelling of As written ab GHS label el The product of Hazard picto	H333 May be har nts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 ry statements: P103, P210, P251, P211 packages where the conte vove. lements is classified and labelled ograms GHS02	rmful if inhaled. C) No 1272/2008: ', ents do not exceed 125 ml:	
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412 Labelling of J As written ab GHS label el The product of Hazard picto Signal word	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the content pove. lements is classified and labelled prams GHS02 Danger	rmful if inhaled. C) No 1272/2008: ', ents do not exceed 125 ml:	
Acute Tox. 5 Label elemer Labelling acc Hazard picto Signal word: Hazard stater Precautionar P101, P102, P410+P412 Labelling of J As written ab GHS label el The product Hazard picto Signal word Hazard state	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the contender pove. lements is classified and labelled ograms GHS02 Danger ments	rmful if inhaled. C) No 1272/2008: ', ents do not exceed 125 ml:	System (GHS).
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412 Labelling of p As written ab GHS label el The product of Hazard picto Signal word Hazard staten H222-H229	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the contender pove. lements is classified and labelled ograms GHS02 Danger ments	rmful if inhaled. C) No 1272/2008: , ents do not exceed 125 ml: according to the Globally Harmonised S cosol. Pressurised container: May burst ij	System (GHS).
Acute Tox. 5 Label elemer Labelling acc Hazard picto Signal word: Hazard stater Precautionar P101, P102, P410+P412 Labelling of J As written ab GHS label el Hazard picto Signal word Hazard state H222-H229 J H333 J	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the contender hove. lements is classified and labelled ograms GHS02 Danger ments Extremely flammable aer May be harmful if inhaled ry statements	rmful if inhaled. C) No 1272/2008: , ents do not exceed 125 ml: according to the Globally Harmonised S cosol. Pressurised container: May burst ij d.	System (GHS). f heated.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412 Labelling of J As written ab GHS label el Hazard picto Signal word Hazard state H222-H229 J H333 J Precautionar P101	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the contender hove. lements is classified and labelled ograms GHS02 Danger ments Extremely flammable aer May be harmful if inhaled ry statements	rmful if inhaled. C) No 1272/2008: , ents do not exceed 125 ml: according to the Globally Harmonised S cosol. Pressurised container: May burst ij	System (GHS). f heated.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412 Labelling of J As written ab GHS label el Hazard picto Signal word Hazard staten H222-H229 J H333 J Precautionan P101 P102	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the contender hove. lements is classified and labelled ograms GHS02 Danger ments Extremely flammable aer May be harmful if inhaled ry statements	rmful if inhaled. C) No 1272/2008: , ents do not exceed 125 ml: according to the Globally Harmonised S cosol. Pressurised container: May burst ij d. led, have product container or label at ha	System (GHS). f heated.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412 Labelling of p As written ab GHS label el The product of Hazard picto Signal word Hazard staten H222-H229 p H333 p Precautionan P101 P102 P103	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the contender ove. dements is classified and labelled ograms GHS02 Danger ments Extremely flammable aere May be harmful if inhaled ry statements If medical advice is need Keep out of reach of child Read label before use.	rmful if inhaled. C) No 1272/2008: , ents do not exceed 125 ml: f according to the Globally Harmonised S cosol. Pressurised container: May burst ij d. led, have product container or label at ha dren.	System (GHS). f heated. ınd.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionan P101, P102, P410+P412 Labelling of I As written ab GHS label el The product i Hazard picto Signal word Hazard state H222-H229 I H333 I Precautionan P101 P102 P103 P210	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the conte bove. lements is classified and labelled borgrams GHS02 Danger ments Extremely flammable aer May be harmful if inhaled ry statements If medical advice is need Keep out of reach of child Read label before use. Keep away from heat/space	rmful if inhaled. C) No 1272/2008: , ents do not exceed 125 ml: f according to the Globally Harmonised S cosol. Pressurised container: May burst ij d. led, have product container or label at ha dren.	System (GHS). f heated. ınd.
Acute Tox. 5 Label element Labelling accontractor Signal word: Hazard statent Precautionar P101, P102, P410+P412 Labelling of p As written ab GHS label el The product of Hazard picto Signal word Hazard statent H222-H229 f H333 f Precautionar P101 P102 P103 P210 P251	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the conte bove. lements is classified and labelled by rans GHS02 Danger ments Extremely flammable aer May be harmful if inhaled ry statements If medical advice is need Keep out of reach of chill Read label before use. Keep away from heat/space	rmful if inhaled. C) No 1272/2008: , ents do not exceed 125 ml: , according to the Globally Harmonised S cosol. Pressurised container: May burst ig d. led, have product container or label at ha dren. arks/open flames/hot surfaces No smok Do not pierce or burn, even after use.	System (GHS). f heated. ınd.
Acute Tox. 5 Label elemen Labelling acc Hazard picto Signal word: Hazard staten Precautionar P101, P102, P410+P412 Labelling of J As written ab GHS label el The product of Hazard picto Signal word Hazard staten H222-H229 f H333 f Precautionar P101 P102 P103 P210 P251	H333 May be har hts cording to regulation (EC grams : GHS02 Danger ments: H222-H229 y statements: P103, P210, P251, P211 packages where the conte bove. lements is classified and labelled by rans GHS02 Danger ments Extremely flammable aer May be harmful if inhaled ry statements If medical advice is need Keep out of reach of chill Read label before use. Keep away from heat/space	rmful if inhaled. C) No 1272/2008: , ents do not exceed 125 ml: f according to the Globally Harmonised S cosol. Pressurised container: May burst ij d. led, have product container or label at ha dren.	System (GHS). f heated. ınd.



Page 2/8

Safety data sheet According to1907/2006\ EEC

Printing date 18.02.2016

Version number 1

Revision: 18.02.2016

Trade name: SPR white

(Contd. of page 1)

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

• Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

115-10-6 dimethyl ether

♦ Flam. Gas 1, H220 >15% Press. Gas C, H280

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Avoid prolonged or repeated contact with skin . After hadling, always wash hands thoroughly with soap and plenty of water . Get medical attention if irritation develops.

· After eye contact:

Rinse opened eye for several minutes under running water.

Get medical attention.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot Special hazards arising from the substance or mixture

Formation of explosive air/vapor mixtures are possible.

• Advice for firefighters

Move containers from fire fire area if possible to do so without risk. Use water spray or water to cool unopened containers.

 $(Contd. \ on \ page \ 3)$



Page 3/8

Safety data sheet According to1907/2006\EEC

Printing date 18.02.2016

Version number 1

Revision: 18.02.2016

(Contd. of page 2)

Trade name: SPR white

· Protective equipment:

Fire fighters should wear full protective clothing and self -contained breathing apparatus in positive pressure mode.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Avoid contact with skin eyes and inhalation of vapors. Ventilate area of spill. Beware of vapour accumulation to form explosive concentrations. Vapour can accumulate in low areas. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Open and handle receptacle with care. Do not breathe vapors. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Wash thoroughly after handling.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

[—] IL



Safety data sheet According to1907/2006\ EEC

Printing date 18.02.2016

Version number 1

Revision: 18.02.2016

Trade name: SPR white

(Contd. of page 3)

Page 4/8

Protect from heat and direct sunlight.

Store in well ventilated place.

Keep away from strong oxidizing agents, hydrogen peroxide and strong acids.

Avoid extreme temperatures .

Use original container.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

×

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Keep away from foodstuffs and beverages. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately . Clean skin thoroughly after work; apply skin cream.
- During use, provide suitable ventilation. • **Respiratory protection:** Suitable respirator.

Be sure to use an approved/ certified or equivalent.

Wear appropriate respirator when ventilation is inadequate.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Safety data sheet According to1907/2006\ EEC

Printing date 18.02.2016

Version number 1

Revision: 18.02.2016

(Contd. of page 4)

Trade name: SPR white

· Eye protection:



×

Tightly sealed goggles

• Body protection: Wear appropriate long - sleeved clothing to minimize skin contact.

9 Physical and chemical properties

• Information on basic physical and • General Information	
Appearance:	
Form:	Aerosol
Colour:	According to product specification
· Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	5
Change in condition	
Melting point/Melting range:	-141 °C (DME)
Boiling point/Boiling range:	-24.8 °C (DME)
Flash point:	-41 °C (DME)
·Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	240 °C (DME)
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	3.4 Vol % (DME)
Upper:	27 Vol % (DME)
· Vapour pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Soluble
Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.

Page 5/8



Page 6/8

Safety data sheet According to1907/2006\EEC

Printing date 18.02.2016

Version number 1

Revision: 18.02.2016

(Contd. of page 5)

Trade name: SPR white

Kinematic:

· Other information

Not determined.

· Solvent content: Organic solvents: VOC (EC)

16.0 % 16.00 %

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under ordinary conditions of use and storage.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid Keep away from heat , open flame and sparks, extreme temperatures.
- $\cdot \textit{Incompatible materials: } Strong oxidizing agents, hydrogen peroxide and strong acids.$
- *Hazardous decomposition products:* Under fire emits irritating and toxic fumes.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)



Page 7/8

Safety data sheet According to1907/2006\ EEC

Printing date 18.02.2016

Version number 1

Revision: 18.02.2016

Trade name: SPR white

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation

×

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

Transport information	
UN-Number	
ADR	UN 1950
IMDG, IATA	UN1950
UN proper shipping name	
ADR, IMDG	Aerosols
IATA	Aerosols, flammable
Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	2.1 2.1
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
EMS Number:	F-D, S-U
Stowage Category	Ε
Transport in bulk according to Annex II of	f Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	EAC:(1)
IMDG	
Excepted quantities (EQ)	Maximum net quantity per inner packaging: N/A
· · · · · · · · · · · · · · · · · ·	Maximum net quantity per outer packaging: N/A

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)

⁻ IL



Safety data sheet According to1907/2006\ EEC

Printing date 18.02.2016

Version number 1

Revision: 18.02.2016

Trade name: SPR white

· Seveso category P5a FLAMMA	BLE .	LIOUIDS	,
------------------------------	-------	---------	---

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 10 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50 t

· National regulations:

Class	Share in %
Wasser	82.1
NK	16.0

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. All information contained in the present sheet is based on the manufacturer data. The use of this product is not subject to our direct control : therefore, users must under their own responsibility comply with the current health and safety laws and regulation.

· Relevant phrases

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.

· Department issuing MSDS: Product safety department.

· Contact:

Mistral Security INC 7910 Woodmont Ave, Ste 820 Tel: (301) 913-9366 Fax: (301) 913-9369

• Abbreviations and acronyms: ADR: Accord européen sur le transport

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases, Hazard Category 1 Aerosol 1: Flammable gases, Hazard Category 1 Press. Gase C: Gases under pressure: Compressed gas Acute Tox. 5: Acute toxicity, Hazard Category 5 • * Data compared to the previous version altered.

(Contd. of page 7)

Page 8/8