Printing date: September 16, 2014

Revision: September 16, 2014

SECTION 1 undertaking	: Identification	on of the substance/mixture and of the company
· 1.1 Product ide	entifier	
· Trade name: <u>N</u>	IK Test C	
	entified uses of t	he substance or mixture and uses advised against Barbiturates Test Kit
 Manufacturer/S Safariland, LLC 13386 Internation Jacksonville, FL 	Supplier:	Safety Data Sheet Distributor: Arrowhead Forensics 11030 Strang Line Road Lenexa, KS 66215 (913) 894-8388; www.arrowheadforensics.com
	telephone numb	er:
	+1 (813)248-0585	
(800)255-3924,	+1 (813)248-0585 Hazards ident	FORENSICS
(800)255-3924, SECTION 2: · 2.1 Classificati · Classification a	Hazards ident on of the substar according to Reg Hazard Statemen	FORENSICS ification ace or mixture ulation (EC) No 1272/2008
(800)255-3924, SECTION 2: • 2.1 Classification a • Classification a The following l regulation: H412 • flame	Hazards ident on of the substar according to Reg Hazard Statemen 2.	FORENSICS ification ace or mixture ulation (EC) No 1272/2008
(800)255-3924, SECTION 2: • 2.1 Classification • Classification a The following la regulation: H412 • flame Flam. Liq. 2	Hazards ident on of the substar according to Reg Hazard Statemen 2.	FORENSICS ification ace or mixture ulation (EC) No 1272/2008 ts are applicable only to the EU regulations and not the US GH
(800)255-3924, SECTION 2: • 2.1 Classification • Classification a The following la regulation: H412 • flame Flam. Liq. 2	Hazards ident on of the substar according to Reg Hazard Statemen 2. H225 Highly fl	FORENSICS
(800)255-3924, SECTION 2: • 2.1 Classification a The following large regulation: H412 flame Flam. Liq. 2 skull an	Hazards ident on of the substar according to Reg Hazard Statemen 2. H225 Highly fl d crossbones H301 Toxic if s	FORENSICS
(800)255-3924, SECTION 2: • 2.1 Classification a The following b regulation: H412 • flame Flam. Liq. 2 • skull an Acute Tox. 3	Hazards ident on of the substar according to Reg Hazard Statemen 2. H225 Highly fl d crossbones H301 Toxic if s	ification acce or mixture ulation (EC) No 1272/2008 ts are applicable only to the EU regulations and not the US GH ammable liquid and vapour.
(800)255-3924, SECTION 2: • 2.1 Classification a The following large regulation: H412 • flame Flam. Liq. 2 • skull an Acute Tox. 3 Acute Tox. 3	Hazards ident on of the substar according to Reg Hazard Statemen 2. H225 Highly fl d crossbones H301 Toxic if s H311 Toxic in H331 Toxic if i	ification acce or mixture ulation (EC) No 1272/2008 ts are applicable only to the EU regulations and not the US GH ammable liquid and vapour.
(800)255-3924, SECTION 2: • 2.1 Classification a The following b regulation: H412 • • • • • • • • • • • • • • • • • • •	Hazards ident on of the substar according to Reg Hazard Statemen 2. H225 Highly fl d crossbones H301 Toxic if s H311 Toxic in H331 Toxic if i azard	ification acce or mixture ulation (EC) No 1272/2008 ts are applicable only to the EU regulations and not the US GH ammable liquid and vapour.

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

Classification accord	(Contd. of page
	ling to Directive 67/548/EEC or Directive 1999/45/EC
😡 T; Toxic	
R23/24/25-39/23/24/2	5: Toxic by inhalation, in contact with skin and if swallowed. Toxic: danger very serious irreversible effects through inhalation, in contact with skin and swallowed.
F; Highly flammab	le
R11:	Highly flammable.
R52/53:	Harmful to aquatic organisms, may cause long-term adverse effects in th aquatic environment. ing particular hazards for human and environment: Not applicable.
2.2 Label elements	to $P_{\text{equilation}}(EC)$ No 4072/2009
	to Regulation (EC) No 1272/2008 sified and labelled according to the CLP regulation.
Hazard pictograms	אוופע מוע ומטפוופע מכנטועוווץ נט גווב טבר ופעעומנוטוו.
	>
GHS02 GHS06 GHS0	9
GH302 GH300 GH30	8
Signal word Danger	
	components of labelling:
methanol	
Hazard statements	
	d Statements are applicable only to the EU regulations and not the US GH
regulation: H412.	
regulation: H412. H225 Highly flammabl	e liquid and vapour.
regulation: H412. H225 Highly flammabl H301 Toxic if swallowe	e liquid and vapour. ed.
regulation: H412. H225 Highly flammabl H301 Toxic if swallow H311 Toxic in contact	e liquid and vapour. ed.
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled.	e liquid and vapour. ed. with skin.
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage	e liquid and vapour. ed. with skin. e to organs.
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua	e liquid and vapour. ed. with skin. e to organs. tic life with long lasting effects.
regulation: H412. H225 Highly flammabl H301 Toxic if swallow H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua Precautionary statem	e liquid and vapour. ed. with skin. e to organs. tic life with long lasting effects. ments
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua Precautionary staten P210 Ke	e liquid and vapour. ed. with skin. e to organs. tic life with long lasting effects.
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua Precautionary staten P210 Ke P280 We P260 Do	e liquid and vapour. ed. with skin. e to organs. tic life with long lasting effects. nents ep away from heat/sparks/open flames/hot surfaces No smoking. ear protective gloves / eye protection. not breathe mist/vapours/spray.
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua Precautionary staten P210 Ke P280 We P260 Do P303+P361+P353 IF oski	e liquid and vapour. ed. with skin. e to organs. tic life with long lasting effects. nents ep away from heat/sparks/open flames/hot surfaces No smoking. ear protective gloves / eye protection. not breathe mist/vapours/spray. ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rins n with water/shower.
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua Precautionary staten P210 Ke P280 We P260 Do P303+P361+P353 IF o ski P370+P378 In o	e liquid and vapour. ed. with skin. e to organs. tic life with long lasting effects. nents ep away from heat/sparks/open flames/hot surfaces No smoking. ear protective gloves / eye protection. not breathe mist/vapours/spray. ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rins n with water/shower. case of fire: Use for extinction: CO2, powder or water spray.
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua Precautionary staten P210 Ke P280 We P260 Do P303+P361+P353 IF 0 ski P370+P378 In 0	e liquid and vapour. ed. with skin. e to organs. tic life with long lasting effects. nents ep away from heat/sparks/open flames/hot surfaces No smoking. ear protective gloves / eye protection. not breathe mist/vapours/spray. ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rins n with water/shower. case of fire: Use for extinction: CO2, powder or water spray.
regulation: H412. H225 Highly flammabl H301 Toxic if swallows H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua Precautionary staten P210 Ke P280 We P260 Do P303+P361+P353 IF 0 ski P370+P378 In 0	ed. with skin. e to organs. tic life with long lasting effects. nents ep away from heat/sparks/open flames/hot surfaces No smoking. ear protective gloves / eye protection. not breathe mist/vapours/spray. ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rins n with water/shower. case of fire: Use for extinction: CO2, powder or water spray. spose of contents/container in accordance with local/regional/national/internation gulations.
regulation: H412. H225 Highly flammabl H301 Toxic if swallowd H311 Toxic in contact H331 Toxic if inhaled. H370 Causes damage H412 Harmful to aqua Precautionary staten P210 Ke P280 We P260 Do P303+P361+P353 IF Ski P370+P378 In o P501 Dis reg Additional informatio	e liquid and vapour. ed. with skin. e to organs. tic life with long lasting effects. nents ep away from heat/sparks/open flames/hot surfaces No smoking. ear protective gloves / eye protection. not breathe mist/vapours/spray. ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rins n with water/shower. case of fire: Use for extinction: CO2, powder or water spray. spose of contents/container in accordance with local/regional/national/internation gulations.

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

	(Contd. of page
Hazard description:	
WHMIS-symbols: B2 - Flammable liquid	
D1A - Very toxic material causing immediate and serious toxic effects	
D2A - Very toxic material causing other toxic effects	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 3	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 Health = *3	
FIRE 3 Fire = 3	
REACTIVITY Reactivity = 0	
* - Indicates a long term health hazard from repeated or prolonged exposures.	
HMIS Long Term Health Hazard Substances	
67-56-1 methanol	
2.3 Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	

 3.1 Substances CAS No. Description 67-56-1 methanol Identification number(s) EC number: 200-659-6 Index number: 603-001-00-> 	ζ	
· Dangerous components:		
CAS: 71-48-7 EINECS: 200-755-8 Index number: 027-006-00-6	 cobalt acetate I Repr. Cat. 2 R49-60; Xn R68; Xn R42/43; Xn R50/53 N R50/53 Carc. Cat. 2, Muta. Cat. 3 Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350i; Repr. 1B, H360F Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1, H317 	0,1%

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

(Contd. of page 3)

• SVHC 71-48-7 cobalt acetate

SECTION 4: First aid measures

(Contri on page 5)	 4.1 Description of first aid measures General information: Immediately remove any clothing soiled by the product. After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. Seek medical treatment in case of complaints. After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed Headache Nausea Dizziness Breathing difficulty Gastric or intestinal disorders. Blindness Acidosis Disorientation Unconsciousness Hazards Danger of convulsion. Danger of conv	
--------------------	--	--

(Contd. on page 5)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

(Contd. of page 4)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: None.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles:

Store in a cool location.

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

 \cdot Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control	parameters
---------------	------------

· Ingredients v	vith limit values that require monitoring	at the workplace:
67-56-1 meth	anol	
IOELV (EU)	Long-term value: 260 mg/m³, 200 ppm Skin	
PEL (USA)	Long-term value: 260 mg/m³, 200 ppm	
REL (USA)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin	
TLV (USA)	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI	
EL (Canada)	Short-term value: 250 ppm Long-term value: 200 ppm Skin	
EV (Canada)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin	
71-48-7 coba	It acetate	
PEL (USA)	Long-term value: 0,1* mg/m ³ as Co; *for metal dust and fume	
REL (USA)	Long-term value: 0,05 mg/m ³ as Co; metal dust & fume	
TLV (USA)	Long-term value: 0,02 mg/m³ as Co, BEI	
EL (Canada)	Long-term value: 0,02 mg/m³ as Co; ACGIH 2B	
		(Contd. on page 7)

GHS

	GHS	
Printing date: Septemb	er 16, 2014	Revision: September 16, 2014
Trade name: NIK Tes	st C	
· PNECs No furthe	r relevant information available. r relevant information available.	(Contd. of page 6)
-	biological limit values:	
Time:		ific)
Additional inform	nation: The lists valid during the makir	ng were used as basis.
The usual precau Keep away from f Immediately remo Wash hands befo Store protective c Avoid contact with Do not inhale gas Respiratory prot Not required under For spills, respirat	tive equipment: ve and hygienic measures: tionary measures are to be adhered to oodstuffs, beverages and feed. ove all soiled and contaminated clothing re breaks and at the end of work. lothing separately. In the eyes and skin. es / fumes / aerosols. ection: er normal conditions of use. tory protection may be advisable. iratory protective device when aerosol	g.
Protective	e gloves	
Selection of the degradation. • Material of glove The selection of t	glove material on consideration of the s the suitable gloves does not only deport from manufacturer to manufacturer.	to the product/ the substance/ the preparation. The penetration times, rates of diffusion and the end on the material, but also on further marks of
The exact break t be observed.	hrough time has to be found out by the nt contact gloves made of the follow	e manufacturer of the protective gloves and has to ving materials are suitable:
Safety gla	asses	
 Limitation and s 	: Protective work clothing upervision of exposure into the envi nt information available.	
1		(Contd. on page 8)

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

· Risk management measures

See Section 7 for additional information. No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: 	d chemical properties Liquid Colourless Alcohol-like Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.
· Flash point:	Flash Point Range: 50 - 59 ° F / 10 - 15 °C. (Estimated)
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
 Explosion limits: Lower: Upper: 	5,5 Vol % 44 Vol %
· Vapour pressure at 20 °C:	128 hPa
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0,79 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Fully miscible.
· Partition coefficient (n-octanol/water): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined. (Contd. on page 9)

(Contd. of page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

• 9.2 Other information

No further relevant information available.

(Contd. of page 8)

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Toxic fumes may be released if heated above the decomposition point.
- Reacts violently with oxidizing agents.

Flammable.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

· 10.4 Conditions to avoid

Keep away from heat and direct sunlight.

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

• **10.5 Incompatible materials:** No further relevant information available.

- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

67-56-1 methanol

Oral LD50 5628 mg/kg (rat)

Dermal LD50 15800 mg/kg (rabbit)

Inhalative LC50/4h 130,7 mg/l (rat)

Primary irritant effect:

• on the skin: Slight irritant effect on skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Toxic

Vapours have narcotic effect.

Danger through skin adsorption.

Toxic and/or corrosive effects may be delayed up to 48 hours.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

(Contd. on page 10)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

(Contd. of page 9)

Acute effects (acute toxicity, irritation and corrosivity):

Vapours have narcotic effect.

Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to organs.

· Repeated dose toxicity: Causes damage to organs through prolonged or repeated exposure.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Based on IARC classifications and not the CLP classification.

Carc. 2B

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

· Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 11)

(Contd. of page 10)


Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

· Recommended cleansing agents: Water, if necessary together with cleansing agents.



Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

	(Contd. of page 11)
 Transport/Additional information: 	
ADR	
 Limited quantities (LQ) 	1L
 Excepted quantities (EQ) 	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
 Transport category 	2
 Tunnel restriction code 	D/E
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1230, METHANOL, 3 (6.1), II

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation spec United States (USA) SARA 	
· Section 355 (extremely hazardous substances):	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is listed.	
· TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
Substance is not listed.	
· IARC (International Agency for Research on Cancer)	
71-48-7 cobalt acetate	21

(Contd. of page 12)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Canada

· Canadian Domestic Substances List (DSL)

Substance is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

Substance is not listed.

· Canadian Ingredient Disclosure list (limit 1%)

Substance is listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

• Substances of very high concern (SVHC) according to REACH, Article 57

71-48-7 cobalt acetate

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350i May cause cancer by inhalation.
- H360F May damage fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R42/43 May cause sensitisation by inhalation and skin contact.

R49 May cause cancer by inhalation.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R60 May impair fertility.

R68 Possible risk of irreversible effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 14)

Printing date: September 16, 2014

Revision: September 16, 2014


Trade name: NIK Test C

(Contd. of page 13) ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 2: Germ cell mutagenicity, Hazard Category 2 Carc. 1B: Carcinogenicity, Hazard Category 1B Repr. 1B: Reproductive toxicity, Hazard Category 1B STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

GHS

Printing date: September 16, 2014

Revision: September 16, 2014



GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule



Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

(Contd. of page 2)

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

*3 Health = *3 HEALTH FIRE ³ Fire = 3 Reactivity 0 Reactivity = 0

* - Indicates a long term health hazard from repeated or prolonged exposures.

· HMIS Long Term Health Hazard Substances

67-56-1 methanol

2.3 Other hazards

Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 67-56-1	methanol	50-100%
EINECS: 200-659-6	😡 T R23/24/25-39/23/24/25; 👩 F R11	
Index number: 603-001-00-X	 Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 	
	🕉 STOT SE 1, H370	
CAS: 75-31-0	2-aminopropane	2,5-10%
EINECS: 200-860-9	🗙 Xi R36/37/38; 👩 F+ R12	
Index number: 612-007-00-1	🚸 Flam. Liq. 1, H224	
	🔆 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
Additional information: For	the wording of the listed risk phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

(Contd. of page 3) If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed Headache Coughing Dizziness Gastric or intestinal disorders. Nausea Breathing difficulty Blindness Acidosis Disorientation Unconsciousness · Hazards Danger of convulsion. Danger of impaired breathing. Danger of disturbed cardiac rhythm. Possible risk of irreversible effects. • 4.3 Indication of any immediate medical attention and special treatment needed Contains methanol. Consult literature for specific antidotes. May produce a neurotoxic / hepatotoxic effect. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: None.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

(Contd. on page 5)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

(Contd. of page 4)

SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. Protect from heat. · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. · Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. · 7.2 Conditions for safe storage, including any incompatibilities · Storage:

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

		(Contd. of page			
8.1 Control p					
Ingredients with limit values that require monitoring at the workplace:					
67-56-1 meth					
IOELV (EU)	Long-term value: 260 mg/m ³ , 200 ppm Skin				
PEL (USA)	Long-term value: 260 mg/m ³ , 200 ppm				
REL (USA)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin				
TLV (USA)	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI				
EL (Canada)	Short-term value: 250 ppm Long-term value: 200 ppm Skin				
EV (Canada)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin				
75-31-0 2-am	inopropane				
PEL (USA)	Long-term value: 12 mg/m ³ , 5 ppm				
TLV (USA)	Short-term value: 24 mg/m ³ , 10 ppm Long-term value: 12 mg/m ³ , 5 ppm				
EL (Canada)	Short-term value: 10 ppm Long-term value: 5 ppm				
EV (Canada)	Short-term value: 24 mg/m ³ , 10 ppm Long-term value: 12 mg/m ³ , 5 ppm				
	rther relevant information available. rther relevant information available.				
Ingredients v	vith biological limit values:				
67-56-1 meth	anol				
Ti	5 mg/L edium: urine ime: end of shift arameter: Methanol (background, nonspecific)				
Additional in	formation: The lists valid during the making were used as basis.				
8.2 Exposure	econtrols				
Personal pro	tective equipment:				
	ective and hygienic measures:				
	ecautionary measures are to be adhered to when handling chemicals. om foodstuffs, beverages and feed.				
	emove all soiled and contaminated clothing.				
Wash hands	before breaks and at the end of work.				
Store protecti	ve clothing separately.				
		(Contd. on page			

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

(Contd. of page 6)

Avoid contact with the eyes and skin.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· **Body protection:** Protective work clothing

· Limitation and supervision of exposure into the environment

No further relevant information available.

- · Risk management measures
- See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: 	Not Determined.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

	(Contd. of page 7)
Boiling point/Boiling range:	Undetermined.
· Flash point:	Flash Point Range: 50 - 59 ° F / 10 - 15 °C. (Estimated)
 Flammability (solid, gaseous): 	Not applicable.
 Auto/Self-ignition temperature: 	Not determined.
 Decomposition temperature: 	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
 Explosion limits: Lower: Upper: 	5,5 Vol % 44,0 Vol %
 Vapour pressure at 20 °C: 	128 hPa
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0,78 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Fully miscible.
 Partition coefficient (n-octanol/wate 	r): Not determined.
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Flammable.
- Reacts violently with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Toxic fumes may be released if heated above the decomposition point.

10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

- Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

• **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide Nitrogen oxides

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

67-56-1 methanol Oral LD50 5628 mg/kg (rat) Dermal LD50 15800 mg/kg (rabbit)

Inhalative LC50/4h 130,7 mg/l (rat)

Primary irritant effect:

• on the skin: Slight irritant effect on skin and mucous membranes.

• on the eye: Slight irritant effect on eyes.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Toxic

Danger through skin adsorption.

Toxic and/or corrosive effects may be delayed up to 24 hours.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

• Acute effects (acute toxicity, irritation and corrosivity):

Vapours have narcotic effect.

Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to organs.

· Repeated dose toxicity: Causes damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 10)

(Contd. of page 9)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

· **vPvB:** Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

[•] 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
 14.1 UN-Number DOT, ADR, IMDG, IATA 14.2 UN proper shipping name DOT ADR IMDG, IATA 14.3 Transport hazard class(es) DOT DOT 	UN3286 Flammable liquid, toxic, corrosive, n.o.s. (Methanol, Isopropylamine) 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, ISOPROPYLAMINE) FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, ISOPROPYLAMINE)
· Class · Label	3 Flammable liquids. 3+6.1+8
· ADR	
· Class	3 (FTC) Flammable liquids. (Contd. on page 11)

Printing date: September 16, 2014

Revision: September 16, 2014

Label	(Contd. of page 10 3+6.1+8
IMDG, IATA	
Class	3 Flammable liquids.
Label	3+6.1+8
14.4 Packing group	
DOT, ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	368
EMS Number:	F-E,S-D
14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN3286, FLAMMABLE LIQUID, TOXIC, CORROSIVE
	N.O.S. (METHANOL, ISOPROPYLAMINE), 3 (6.1+8),

SECTION 15: Regulatory information

 $^\circ$ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture $^\circ$ United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

67-56-1 methanol

(Contd. on page 12)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

	(Contd. of page
• TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
[·] Canada	
[·] Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
[·] Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
[·] Canadian Ingredient Disclosure list (limit 1%)	
All ingredients are listed.	
• Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Con and the SDS contains all the information required by the Controlled Products F	
Substances of very high concern (SVHC) according to REACH, Article 57	1
None of the ingredients is listed.	
• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not b	been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 13)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test C 2nd Ampoule

(Contd. of page 12) · Relevant phrases H224 Extremely flammable liquid and vapour. Highly flammable liquid and vapour. H225 Toxic if swallowed. H301 Toxic in contact with skin. H311 H315 Causes skin irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Causes damage to organs. H370 Highly flammable. R11 Extremely flammable. R12 R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. Irritating to eyes, respiratory system and skin. R36/37/38 R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 1: Flammable liquids, Hazard Category 1 Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com